

FIG. 1




FIG. 1A






FIG. 2




1. Top Level Flow

FIG. 3




Classify Document

FIG. 4




CREATE REDUCED-RESOLUTION
MIP LEVEL IMAGES

FIG. 5



Deskew Document


FIG. 6



Deskew Page


09747607-112100

FIG. 7




Find Skew Angle (Text)

FIG. 8




Find skew Angle (Geometric)

FIG. 9



IDENTIFY DATA

FIG. 10




Identify Picture Regions



DOT MATRIX

FIG. 11



IDENTIFY TEXT OBJECTS AND MARK AS DATA

FIG. 11A

ENTER


COPY ALL OBJECTS IN RANGE
BETWEEN 10 PIXELS AND 1 INCH ~182
INTO TEMPORARY DOCUMENT

SCALE TEMPORARY DOCUMENT TO
MIP LEVEL 1, WHITE DOMINANT, ~183
TO REMOVE SPIDER-WEB NOISE


SCALE TEMPORARY DOCUMENT TO
MIP LEVEL 2, BLACK DOMINANT, &
GRAB OBJECTS TO CREATE OUTLINE
LIST OF TEXT WORDS TO
DEFINE ROW DIRECTION ~184

SCALE TEMPORARY DOCUMENT
TO MIP LEVEL 4 & GRAB OBJECTS
TO CREATE OUTLINE LIST
OF DATA AREAS ~185

RETURN




Find Character Sizes



Form Rows of Text


FIG. 14



Form Paragraphs


FIG. 15

09717607-112100




Adjust Rows

FIG. 16




Form Columns of Text

FIG. 15A




Eliminate Spurious Columns

FIG. 17




Postprocess Columns

FIG. 18



FIND AND MARK EXTRA-COLUMNAR TEXT
OBJECTS AS DATA



Invoke Neural Net

FIG. 19A





FIG. 20




09717607-112100

Identify GEOMETRIC OBJECTS AND MARK
AS DATA


FIG. 21

09717607.112100




Find Whole Geometry

FIG. 22




FIND AND MARK BROKEN GEOMETRY OBJECTS

FIG. 22A



MARK OBJECTS FORMING DASHED & DOTTED LINES

FIG. 23



001217 2092760

FIG. 23A

ENTER

GO THROUGH OBJECT LIST
AND DELETE EACH OBJECT
NOT MARKED AS DATA FROM
DOCUMENT BEING RECONSTRUCTED

~ 155 B

RETURN



167
 167
 167
 167
 166
 166
 167
 169 → すぎているか」
 → 「今以上のより深い思いを伝える文書を創造し、
 伝達することはできないか」
 ……誰しもが感じ疑問です。
 166 → その答えを、ゼロックスグループは用意いたし
 ました。あえて「文書」とはいわず、「ドキュメ
 ント」と呼びます。皆さまに提供できるサービ
 スへの自信と決意を込めて、定冠詞 The をつけた
 「The Document」です。
 1通の伝言メモから分厚いマニュアルまで、す
 べての「ドキュメント」をよりすばらしいもの
 にお手伝いを、ゼロックスはできると確信して
 います。

2 望ましい「ドキュメント」とは

ドキュメントは、伝えたい思いを正確にスピー
 ーに相手に伝えることを目的としています。その
 ためには、
 ★必要な要素をもれなく手早く盛り込むことが
 できること、
 ★目的の相手に望むときに正しく伝わること、
 ★そして、必要な人が必要なときにファイルか
 ら取り出したり検索できること、

存」も
 なくな
 担当
 などの
 鋪して
 オフ
 えるシ
 ト本来
 よう。

3 せ

1938
 って発行
 は、「X」


FIG. 24B

map Level 2

22-141 50 SHEETS
22-142 100 SHEETS
22-144 200 SHEETS



001211 20947650



Daskewed



169 「すぎているか」
「今以上のより深い思いを伝える文書を創造し、
伝達することはできないか」

……誰しものが感じ疑問です。

167 その答えを、ゼロックスグループは用意いたしました。あえて「文書」とはいわず、「ドキュメント」と呼びます。皆さまに提供できるサービスへの自信と決意を込めて、定冠詞 The をつけた「The Document」です。

1 通の伝言メモから分厚いマニュアルまで、すべての「ドキュメント」をよりすばらしいものにするお手伝いを、ゼロックスはできると確信しています。

2 望ましい「ドキュメント」とは

ドキュメントは、伝えたい思いを正確にスピーディに相手に伝えることを目的としています。そのためには、

★必要な要素をもれなく手早く盛り込むことができること、

★目的の相手に望むときに正しく伝わること、

★そして、必要な人が必要なときにファイルか

存」も
なくな
担当
などな
錯して
オフ
えるシ
ト本身
よう。

3

1938
って発
は、「



COPY "2091260"

Duspeckle Rows; also day

167

167

169

166
「すぎているか」

76

166

「今以上のより深い思いを伝える文書を創造し、
伝達することはできないか」

166
「……誰しものが感じ疑問です。」

167

その答えを、ゼロックスグループは用意いたし
ました。あえて「文書」とはいわず、「ドキュメ
ント」と呼びます。皆さまに提供できるサービス
への自信と決意を込めて、定冠詞 The をつけた
「The Document」です。

178

1通の伝言メモから分厚いマニュアルまで、す
べての「ドキュメント」をよりすばらしいものに
するお手伝いを、ゼロックスはできると確信して
います。

167

167

2 望ましい「ドキュメント」とは

ドキュメントは、伝えたい思いを正確にスピーデ
ィに相手に伝えることを目的としています。その
ためには、

★必要な要素をもれなく手早く盛り込むことが
できること、

★目的の相手に望むときに正しく伝わること、

「存」も「
なくなっ
」担当が
「などなど
錯してい
オフィ
えるシス
ト本来の
よう。

3 ゼロ

1938 年
って発明
は、 XER



Despeckled; also deskewed



169 「すぎているか」
→「今以上のより深い思いを伝える文書を創造し、
伝達することはできないか」

……誰しものが感じ疑問です。

その答えを、ゼロックスグループは用意いたしました。あえて「文書」とはいわず、「ドキュメント」と呼びます。皆さまに提供できるサービスへの自信と決意を込めて、定冠詞 The をつけた「The Document」です。

1 通の伝言メモから分厚いマニュアルまで、すべての「ドキュメント」をよりすばらしいものにするお手伝いを、ゼロックスはできると確信しています。

2 望ましい「ドキュメント」とは

ドキュメントは、伝えたい思いを正確にスピーディに相手に伝えることを目的としています。そのためには、

★必要な要素をもれなく手早く盛り込むことができること、

★目的の相手に望むときに正しく伝わること、

★そして、必要な人が必要なときにファイルか

存」も「検索」
なくなった”と
”担当がいない
などなど、オフ
錯しているの
オフィス内の
えるシステムキ
ト本来の目的を
よう。

3 ゼロックス

1938 年、チ
って発明された
は、「XEROX」?

●チェス



Paper Space works much like a piece of paper. Viewports are like holes cut in the paper, through which you see through to the model.

Paper Space, as shown in Figure 2, is this mode to organize a plotting sheet for plotting by different views of your model at various magnifications. Views—called floating viewports—simply holes cut in the paper, through which you see through to the model. When Paper Space is enabled, you have additional capabilities, such as dimensioning, layer manipulation, and type scaling. In the Paper Space environment, title blocks and notes, detail tags, and so on can be added at a scale of your choice. This ratio allows you to scale title block for the sheet you are using without changing it to fit the desired size. When plotting a Paper Space drawing, you will always plot

taken from a base plan. The base plan can be displayed at 1/4-inch or 1/8-inch scale with details at a larger scale.

The layer visibility can be controlled in each viewport. If a change is made to the base plan, it will automatically appear in the enlarged detail, as shown in Figure 2.

■ Details can be combined on one plotted sheet. Using Paper Space and xrefs allows you to put together a stair detail or an enlarged toilet plan sheet by external referencing of the first, second and third floors of a building, isolating the areas to be detailed from each floor in a viewport window and adding notes and dimensions, as shown in Figure 3.

■ Paper Space can display plans that require quadrant displays too big for the paper size. The

style
base
scale
Other
niqu
later

Setup
Paper
When
xrefs
sheet
Space
then
becom
lem
prop
plan
shou
refer
Mod
1:1
in m
don't
attach

FIG. 25 B

viewports can be placed on the screen as shown in Figure 2.

As shown in Figure 2, the model is organized in three panes plotting by different views of your various configurations — called floating view — simply holes cut in the through in the model. Space enabled for real capabilities, such as layer manipulation, type scaling, in the environment title and notes, detail page, can be added as a title allows you to in the block for the are using within is to fit the desired are plotting a Paper if you will always plot

shown from a base plan. The base plan can be displayed in 4-inch or 2-inch scale with details at a larger scale. The layer visibility can be controlled in each viewport. If a change is made in the base plan, it will automatically appear in the enlarged detail, as shown in Figure 2.

Details can be combined on one plotted sheet. Using Paper Space and xrefs allows you to put together a sheet based on an enlarged toilet plan sheet by external referencing of the first, second and third floors of a building, isolating the areas to be detailed from each floor in a viewport window and adding notes and dimensions, as shown in Figure 3.

Paper Space can display plans that require quadrant displays too big for the paper sheet. The

style base scale other layer Set Paper When Text sheet Space then Desc Item prop plan what refer Model 1:1 in sheet area



FIG. 25C

ce works much like a piece of
viewports are like holes cut in the
h to the model.

er, as shown in Figure
his mode to organize
g sheet for plotting by
fferent views of your
various magnifications.
—called floating view-
imply holes cut in the
through to the model.
Space enabled, you
nal capabilities, such
ing, layer manipulat-
type scaling. In the
environment, title
and notes, detail tags,
on can be added at a
is ratio allows you to
le title block for the
u are using without
e it to fit the desired
hen plotting a Paper
g, you will always plot

taken from a base plan. The
base plan can be displayed
at 1/8-inch or 1/4-inch scale
with details at a larger scale.

The layer visibility can be con-
trolled in each viewport. If a
change is made to the base plan,
it will automatically appear in
the enlarged detail, as shown in
Figure 2.

■ Details can be combined on one
plotted sheet. Using Paper
Space and xrefs allows you to
put together a stair detail or an
enlarged toilet plan sheet by
external referencing of the first,
second and third floors of a
building, isolating the areas to
be detailed from each floor in a
viewport window and adding
notes and dimensions, as shown
in Figure 3.

■ Paper Space can display plans
that require quadrant displays
too big for the paper size. The

style
base
scale
Othe
niqu
later

Setup
Pape
Whe
xrefs
shee
Spac
then
becc
lem
prop
plan
shoi
refe
Moc
1:1
in n
don
atte

50 SHEETS
22-141
100 SHEETS
22-142
200 SHEETS
22-144



00TET" 2092T/60



157

FIG. 25 D

viewports are like holes cut in the sheet to the model.

er, as shown in Figure 2. This mode to organize the sheet for plotting by different views of your model at various magnifications—called floating view—simply holes cut in the sheet through to the model. When Paper Space enabled, you can use the special capabilities, such as layer manipulation, type scaling. In the floating view environment, title blocks and notes, detail tags, and dimensions can be added at a scale ratio allows you to use the title block for the sheet you are using without having to fit the desired scale when plotting a Paper Space sheet. You will always plot

base plan can be displayed at 1/4-inch or 1/2-inch scale with details at a larger scale.

The layer visibility can be controlled in each viewport. If a change is made to the base plan, it will automatically appear in the enlarged detail, as shown in Figure 2.

Details can be combined on one plotted sheet. Using Paper Space and xrefs allows you to put together a stair detail or an enlarged toilet plan sheet by external referencing of the first, second and third floors of a building, isolating the areas to be detailed from each floor in a viewport window and adding notes and dimensions, as shown in Figure 3.

Paper Space can display plans that require quadrant displays too big for the paper size. The

base
scale
Other
miqu
later

Setup
Paper
When
xrefs
sheet
Space
then
beco
item
prop
plan
shot
refer
Mod
in r
don
att

22-141 50 SHEETS
22-142 100 SHEETS
22-144 200 SHEETS



007277-2 2/27/80

170

76

176

170

167

176-1

157

FIG. 25E

Paper Space works much like a piece of paper. Floating viewports are like holes cut in the paper through to the model.

When Paper Space is enabled, you can use this mode to organize your drawing sheet for plotting by using different views of your model at various magnifications. These views—called floating viewports—are simply holes cut in the paper to see through to the model. When Paper Space is enabled, you have additional capabilities, such as dimensioning, layer manipulation, and linetype scaling. In the Paper Space environment, title blocks, text and notes, detail tags, and so on can be added at a reduced scale. This ratio allows you to add a full-scale title block for the paper size you are using without having to size it to fit the desired scale. When plotting a Paper Space drawing, you will always plot

taken from a base plan. The base plan can be displayed at 1/4-inch or 1/8-inch scale with details at a larger scale.

The layer visibility can be controlled in each viewport. If a change is made to the base plan, it will automatically appear in the enlarged detail, as shown in Figure 2.

170 ■ Details can be combined on one plotted sheet. Using Paper Space and xrefs allows you to put together a stair detail or an enlarged toilet plan sheet by external referencing of the first, second and third floors of a building, isolating the areas to be detailed from each floor in a viewport window and adding notes and dimensions, as shown in Figure 3.

170 ■ Paper Space can display plans that require quadrant displays too big for the paper size. The






167

FIG. 26A

22-141 50 SHEETS
22-142 100 SHEETS
22-144 200 SHEETS



DOT 311 " 2 3/4" 250



OPPOSITE




5/8 GYPSUM SHEATHING

FIG. 26B



22-141 50 SHEETS
22-142 100 SHEETS
22-144 200 SHEETS



DO NOT SCALE




(2) (D*) OPPOSITE



5/8 GYPSUM SHEATHING

FIG. 27



FIND AND MARK GUTTER OBJECTS



FIG. 28




FIG. 29








FIG. 30



CLEAN ROWS

FIG. 31



CALCULATE MINDOTMASS